

Persistor Instruments Price List

CF2 and CF1 Single Board Computers with CompactFlash Capability

PERCF2IM	68332 Based, 1MB SRAM, industrial temp range of -40 to +85C	Qty 1-9	395
		Qty 10-99	379
		Qty 100-499	349
		Qty 500 up	call
PERCF11M	68338 Based, 1MB SRAM, industrial temp range of -40 to +85C	Qty 1-9	495
		Qty 10-99	479

Starter Kits and necessary software for CF2

SKCF2-R2	PERCF21M, SSCF128MBI, R2-WCAB	580*
SKCF2-R212	PERCF21M, SSCF128MBI, R212-WCAB	600*
SKCF2-R216AU	PERCF21M, SSCF128MBI, R216AU-WCAB	660*
SKCF2-MRCP-V2	PERCF21M, SSCF128MBI, MRCP-V2-WCAB, CON-SET-1	665*
SKCF2-MRCP-V3	PERCF21M, SSCF128MBI, MRCP-V3-WCAB, CON-SET-1	665*
SKCF2-MRCP-V1	PERCF21M, SSCF128MBI, MRCP-V1-WCAB, CON-SET-1, CON-SET-2	835*
CW-PALM	CodeWarrior Development Studio for Palm OS Platform (V9.3) This software is necessary for software development. This software is represented only for development of Persistor software.	25*
PicoDEV	Persistor PicoDEV CD and starter guide, with various example packs. This software is necessary for software development.	25*

* NOTE CW-PALM and PicoDEV are free with FIRST purchase of any SKCF2 item.
Additional CW-PALM and PicoDEV are not required for additional CF2s
Please request these items to be sure you receive them. No exchanges or discounts.

PicoDAQ Prototyping Boards and Accessories for CF2

		Qty 1-9	10-99
R2	3" X 5" base board without any A/D		
R2-NCAB	without cables	130	120
R2-WCAB	with 1 each CAB-POW-RCP, CAB-COM-RCP	155	142
R212	3" X 5" base board with 12 bit, 8 ch A/D		
R212-NCAB	without cables	150	139
R212-WCAB	with 1 each CAB-POW-RCP, CAB-COM-RCP	175	161
R216AU	3" X 5" base board with 16 bit 8 ch A/D and two RS232 auxiliary UARTs		
R216AU-NCAB	without cables	190	175
R216AU-WCAB	with 1 each CAB-POW-RCP, CAB-COM-RCP, CAB-COM2-RCP	235	215
MRCP(V1)	narrow 1.4" X 6" stackable min height brd w 16 bit, 8 ch A/D and 1 RS232 auxliary UART		
MRCP-NCAB	without cables	280	255
MRCP-WCAB	with 2 CAB-COM2-RCP	320	290
MRCP-V2	MRCP(V1) but with 'standard height' stackable connectors		
MRCP-V3	MRCP(V1) but with 'standard height' non-stacking connectors		
-NCAB	without cables	200	185
-WCAB	with 2 CAB-COM2-RCP	240	220
CON-SET-1	(1) 2X25 & (3) 2X10 extender connectors for MRCP development	20	n. a.
CON-SET-2	(1) 2X25 & (3) 2X10 low profile connectors for MRCP add ons	70	n. a.
CAB-POW-RCP	Power cable for R212 or R216AU	10	9.00
CAB-COM-RCP	SCI communication cable for R212 or R216AU	15	13.50
CAB-COM2-RCP	AUX TPU UART cable for R216AU and MRCP or Main SCI cable for MRCP	20	17.50

Persistor Instruments Price List

Other Boards for CF2 or CF1 Manufactured by Persistor Instruments

		Qty 1-9	10 +
BIAHD	BigIDEA power switched IDE Drive adapter includes 1 ea CAB-DATA-BIAHD and CAB-POW-BIAHD	395	365
CAB-DATA-BIAHD	Data cable for BIAHD connection to hard drive	30	25
CAB-POW-BIAHD	Power cable for BIAHD	10	8
PRCPDAQ	Original PicoDAQ 12 bit 8 channel A/D prototyping board for CF1 No cables included	200	180

Add On Boards for CF2 or CF1 Manufactured by Oceanographic Embedded Systems (www.oes.to)

		Qty 1-4	5+
U4S	Adds 4 receive and 4 transmit RS232 channels	189	161
AD16S	Adds four channels of 16 bit A/D, Analog Devices AD974, 2" X 3" NOTE the AD16S is not compatible with the CF2	229	195
AD16S2	Adds four channels of 16 bit A/D, Burr Brown ADS7825U, 2" X 3"	199	170
AD24	Adds eight channels of 24 bit A/D, Crystal Semiconductor CS5534	269	220
USB2	Adds USB capability (CAB-COM-USB cable sold separately)	199	170
AD16	discontinued - but two remain in stock in July 2011	229	n. a.
UART4	discontinued - but two remain in stock in July 2011	189	n. a.

Stand Alone Data Loggers

		Qty 1-9	10+
CMLGR-BBR	discontinued		
CMLGR-CF2	Ready to run RS232 data logger using the CF2 with SSCF128MBI	635	620
CMLGR-CF2-A	Ready to run RS232 data logger using the CF2 with SSCF128MBI	580	562
NOTE	CMLGR-CF2 is built on PRCPDAQ base board, CMLGR-CF2-A is built on R2 base board		

Memory Expansion and Accessories for Onset Computer's Tattletale Model 8 (or 8V2)

All boards in this section ship with appropriate hardware and connectors where required

		Qty 1-9	10+
PERCF8V2I	For TT8V2 (pin to socket type) adds CompactFlash capability	295	275
PERCF8C	For TT8 (elastomeric type) adds CompactFlash capability	295	275
PERAT8V2I	For TT8V2 (pin to socket type) adds PCMCIA capability	395	n. a.

Persistor Instruments Price List

Western Digital SiliconDrive II CompactFlash, Industrial Temp (Industrial temp -40 +85C)

SSD-C01GI-4600	1 GB	Recommended CompactFlash for Persistor products	53
SSD-C02GI-4600	2 GB	Recommended CompactFlash for Persistor products	93
SSD-C04GI-4600	4 GB	Recommended CompactFlash for Persistor products	160
SSD-C08GI-4500	8 GB	Recommended CompactFlash for Persistor products	270
SSD-C16GI-4500	16 GB	Recommended CompactFlash for Persistor products	385

Western Digital 3500 CompactFlash certified by Persistor Instruments (Industrial temp -40 +85C)

WHILE SUPPLIES LAST – see http://www.persistor.com/pii/support/techsupport/3500_disc.pdf

SSCF128MBI	128 MB	SSD-C12MI-3500 tested & certified by Persistor &	41
SSCF256MBI	256 MB	Sold Out	
SSCF512MBI	512 MB	SSD-C51MI-3500 tested & certified by Persistor &	52
SSCF1GBI	1 GB	SSD-C01GI-3500 tested & certified by Persistor &	56
SSCF2GBI	2 GB	SSD-C02GI-3500 tested & certified by Persistor &	100
SSCF4GBI	4 GB	Sold Out	
SSCF8GBI	8 GB	SSD-C08GI-3500 tested & certified by Persistor &	290

- & 'tested' means the memory card's current drains and speeds have been checked against typical values.
- & 'certified' means Persistor's 1 year warranty applies.
- & A test sheet showing tested current drains and speeds will come with the card.

Accessories for Onset Computer's Tattletale Model 8 (or 8V2)

ACC-KIT-HDW1	Nylon fasteners for PERCF8C	2
ACC-1/4BUS-CON	Elastomeric connector for PERCF8C or PERAT8C (each connector)	25

Shipping Persistor ships daily by Federal Express.

Delivery Typical delivery is from stock to 2 weeks. Call for current availability.

Prices: Prices are expressed in US dollars. Prices do not include taxes, duties, shipping fees, or money transfer fees, which are the responsibility of the buyer. Prices are subject to change without notice.

Sales Tax: Buyers in Massachusetts will be charged sales tax, unless proof of tax exemption is provided at the time of purchase. Taxes due to other states or nationalities are the responsibility of the purchaser.

Returns: All sales are final and non-returnable except under the provisions of Persistor's warranty.

Cancellation: All accepted orders are non-cancelable.

Terms and Conditions of Sale

The sale of goods by Persistor Instruments Incorporated is made exclusively under the terms and conditions of sale which are published here

<http://www.persistor.com/pii/ordering/PersistorTerms.pdf>

PII accepts no other terms or conditions, except in writing, by an authorized Persistor representative. Persistor Instruments' acceptance of a purchase order is done without agreement to purchaser's terms, which may be attached to, or printed upon the purchase order.

Persistor Instruments Inc	Phone:	508-420-1600
153-A Lovells Lane	Fax:	508-420-1656
Marstons Mills MA 02648	E-mail:	sales@persistor.com
United States of America	WEB:	www.persistor.com